THE PROPERTY OF THE PARTY OF TH

. Wellia





FIG. 1


## Development of the Yolk Sac Circulatory System



7.5 days pc blood islands



8.5 days pc vascular channels



12.5 days pc vitelline circulation




FIG. 3




FIG. 4



FIG. 5



<u>-1G. 6</u>

THE PROPERTY OF THE PARTY OF TH




FIG.

F

A CONTRACTOR OF THE PARTY OF TH






FIG. 7-1



3,250.0

FIG. 8-1



The second secon

FIG. 8-2





FIG. 9



Attended to

FIG. 10

P

Charles of the same





FIG. 11



F





FIG. 13



Separation of epiblast into anterior and posterior portions

FIG. 15

7




FIG. 16-1





FIG. 16-2






FIG. 16-3

19/19

Rescue of null mutant phenotype by BMP-4

	# containing hemoglobin	total # EBs	percent hemoglobinized
wt parental	225	260	86.5
mutant ( - BMP-4)	2	50	4.0
mutant ( + BMP-4)	42	72	58.5




FIG. 17

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS	es de la companya de
LIMAGE CUT OFF AT TOP, BOTTOM OR SIDES	•
FADED TEXT OR DRAWING	
BLURRED OR ILLEGIBLE TEXT OR DRAWING	
SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR Q	UALITY
OTHER:	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.